



राष्ट्रीय मूल्यांकन एवं प्रत्यायन परिषद
विश्वविद्यालय अनुदान आयोग का स्वायत्त संस्थान
NATIONAL ASSESSMENT AND ACCREDITATION COUNCIL
An Autonomous Institution of the University Grants Commission

Certificate of Accreditation

*The Executive Committee of the
National Assessment and Accreditation Council
on the recommendation of the duly appointed
Peer Team is pleased to declare the
Avanthi Institute of Engineering and Technology
Cherukupalli, Bhogapuram (M), Dist. Vizianagaram, affiliated to
Jawaharlal Nehru Technological University, Kakinada, Andhra Pradesh as
Accredited
with CGPA of 3.00 on seven point scale
at B⁺⁺ grade
valid up to September 25, 2023*

Date : September 26, 2018




*S. C. Sharma
Director*



EC(SC)/32/A&A/APCOGN101183



*PRINCIPAL
AVANTHI INSTITUTE OF ENGG. & TECH
Cherukupally (V), Chittivalasa (SAO)
Bhogapuram (M),
Vizianagaram (Dist.)-531162*



राष्ट्रीय मूल्यांकन एवं प्रत्यायन परिषद
विश्वविद्यालय अनुदान आयोग का स्वायत्त संस्थान
NATIONAL ASSESSMENT AND ACCREDITATION COUNCIL
An Autonomous Institution of the University Grants Commission

Quality Profile

Name of the Institution : Avanthi Institute of Engineering and Technology

Place : Cherukupalli, Bhogapuram (M), Dist. Vizianagaram, Andhra Pradesh

Criteria	Weightage (W_i)	Criterion-wise Weighted Grade Point (Cr WGP _i)	Criterion-wise Grade Point Averages (Cr WGP _i / W_i)
I. Curricular Aspects	090	320	3.56
II. Teaching-Learning and Evaluation	330	951	2.88
III. Research, Innovations and Extension	103	283	2.75
IV. Infrastructure and Learning Resources	100	378	3.78
V. Student Support and Progression	130	352	2.71
VI. Governance, Leadership & Management	100	298	2.98
VII. Institutional Values and Best Practices	100	279	2.79
Total	$\sum_{i=1}^7 W_i = 953$	$\sum_{i=1}^7 (Cr WGP_i) = 2861$	

$$\text{Institutional CGPA} = \frac{\sum_{i=1}^7 (Cr WGP_i)}{\sum_{i=1}^7 W_i} = \frac{2861}{953} = \boxed{3.00}$$

Grade = $\boxed{B^{++}}$

Date : September 26, 2018



S. C. Chandra
Director

- This certification is valid for a period of Five years with effect from September 26, 2018
- An institutional CGPA on seven point scale in the range of 3.51 - 4.00 denotes A⁺⁺ grade, 3.26 - 3.50 denotes A⁺ grade, 3.01 - 3.25 denotes A grade, 2.76 - 3.00 denotes B⁺⁺ grade, 2.51 - 2.75 denotes B⁺ grade, 2.01 - 2.50 denotes B grade, 1.51 - 2.00 denotes C grade
- Scores rounded off to the nearest integer

EC(SC)/32/A&A/APCOGNI01183



PRINCIPAL
AVANTHI INSTITUTE OF ENGG. & TECH
Cherukupally (V), Chittivalasa (SAO)
Bhogapuram (M),
Vizianagaram (Dist.)-531162